

Roof safety products

Product description

A roof has to be safe, since although you rarely need to be up there, it must be also possible to get there and work there without unnecessary risks. Furthermore, roofs require safety features by law. The roof safety products supplied by Ruukki comply with the new regulations and directives concerning roof safety products as laid down in the F2 Finnish Construction Regulation.

Products are available in colour coated on galvanised steel or just uncoated galvanised finishes. Ruukki's tile sheets and Classic models have their own special fasteners for roof bridges and snow stops. The differing shapes and styles of the roofing models have been taken into account in the fasteners.

Product applications

- detached houses
- terraced houses
- residential multi-storey buildings
- recreational dwelling

Ruukki is a metal expert you can rely on all the way, whenever you need metal based materials, components, systems or total solutions. We constantly develop our product range and operating models to match your needs.



● **Product**

Name Roof bridge
e.-code TAKS
Length 2920 mm
Unit pcs
Weight/unit 18,0 kg/pcs

Contain 1 x roof bridge
4 x fixing (2000)
4 x roof slope adapter
12 x sealing 32 x 50 mm
28 x screw M8 x 20 mm
28 x nut M8
8 x screw M7 x 50 mm
2 x splice piece

● **Coatings and colours**

Powder painted 11, 20, 23, 29, 32, 33 and 750

Galvanised

● **Material**

Steel

● **Contact information**

Sales

Tel. +358 (0)20 59 127

Fax +358 (0)20 592 7700

Rautaruukki Oyj

www.ruukki.com

The information given on this data sheet has been carefully checked. Rautaruukki Corporation does not, however, assume any responsibility for errors or omissions, or any direct or indirect damage caused by incorrect application of the information. Right to changes reserved.

Copyright © 2005 Rautaruukki Corporation. All rights reserved.

Ruukki, More With Metals, Rautaruukki and Ruukki's product names are either trademarks or registered trademarks of Rautaruukki Corporation.



● **Product**

Name	Classic roof bridge
e-code	CLVKS
Length	2920 mm
Effective length	2800 mm
Unit	pcs
Weight/unit	18,0 kg/pcs

Contain	1 x roof bridge (T350)
	4 x lower fixing (KL3-Classic)
	4 x upper fixing (TAK350)
	4 x counterpart (SK-Classic)
	18 x hex screw M8 x 20 mm
	16 x lock screw M8 x 40 mm
	34 x nut M8

● **Material**

Steel

● **Coatings and colours**

Powder painted 11, 23, 29, 32, 33 and 750

Galvanised

● **Contact information**

Sales

Tel. +358 (0)20 59 127

Fax +358 (0)20 592 7700

Rautaruukki Oyj

www.ruukki.com

The information given on this data sheet has been carefully checked. Rautaruukki Corporation does not, however, assume any responsibility for errors or omissions, or any direct or indirect damage caused by incorrect application of the information. Right to changes reserved.

Copyright © 2005 Rautaruukki Corporation. All rights reserved.

Ruukki, More With Metals, Rautaruukki and Ruukki's product names are either trademarks or registered trademarks of Rautaruukki Corporation.



● **Product**

Name Snow stop
e-code TAPTVLEN
Length 3000 mm
Unit pcs
Weight/unit 10,4 kg/pcs

Contain 2 x round pipe Ø 32 mm
4 x fixing (2000)
12 x sealing 32 x 50 mm
8 x coach screw M8 x 50 mm

● **Material**

Steel

● **Coatings and colours**

Powder painted 11, 20, 23, 29, 32, 33 and 750

Galvanised

● **Contact information**

Sales

Tel. +358 (0)20 59 127

Fax +358 (0)20 592 7700


Rautaruukki Oyj

www.ruukki.com

The information given on this data sheet has been carefully checked. Rautaruukki Corporation does not, however, assume any responsibility for errors or omissions, or any direct or indirect damage caused by incorrect application of the information. Right to changes reserved.

Copyright © 2005 Rautaruukki Corporation. All rights reserved.

Ruukki, More With Metals, Rautaruukki and Ruukki's product names are either trademarks or registered trademarks of Rautaruukki Corporation.



● **Product**

Name	Classic snow stop
e-code	CLVLEN
Length	3000 mm
Effective length	2940 mm
Unit	pcs
Weight/unit	13,3 kg/pcs

Contain	2 x oval pipes
	4 x lower fixing (KL3-Classic)
	4 x counterpart (SK-Classic)
	4 x hex screw M8 x 20 mm
	16 x lock screw M8 x 40 mm
	20 x nut M8

● **Material**

Steel

● **Coatings and colours**

Powder painted 11, 23, 29, 32, 33 and 750

Galvanised

● **Contact information**

Sales

Tel. +358 (0)20 59 127

Fax +358 (0)20 592 7700


Rautaruukki Oyj

www.ruukki.com

The information given on this data sheet has been carefully checked. Rautaruukki Corporation does not, however, assume any responsibility for errors or omissions, or any direct or indirect damage caused by incorrect application of the information. Right to changes reserved.

Copyright © 2005 Rautaruukki Corporation. All rights reserved.

Ruukki, More With Metals, Rautaruukki and Ruukki's product names are either trademarks or registered trademarks of Rautaruukki Corporation.



● **Product**

Name	Ladder
e-code	TAPT24
Length	2400 mm
Unit	pcs
Weight/unit	6,0 kg/pcs

● **Material**

Teräs

● **Coatings and colours**

Powder painted 11, 20, 23, 29, 32, 33 and 750

Galvanised

● **Additional information**

- Ladder + installation set 1 = wall ladder to the side
- Ladder + installation set 2 = wall ladder to the barge
- Ladder + installation set 3 = roof ladder
- Ladder + inst. set Classic 3 = roof ladder Classic
- Ladder + installation set 4 = safety ladder

● **Contact information**

Sales

Tel. +358 (0)20 59 127

Fax +358 (0)20 592 7700


Rautaruukki Oyj

www.ruukki.com

The information given on this data sheet has been carefully checked. Rautaruukki Corporation does not, however, assume any responsibility for errors or omissions, or any direct or indirect damage caused by incorrect application of the information. Right to changes reserved.

Copyright © 2005 Rautaruukki Corporation. All rights reserved.

Ruukki, More With Metals, Rautaruukki and Ruukki's product names are either trademarks or registered trademarks of Rautaruukki Corporation.



● **Product**

Name	Ladder
e-code	TAPT30
Length	3000 mm
Unit	pcs
Weight/unit	8,0 kg/pcs

● **Material**

Steel

● **Coatings and colours**

Powder painted 11, 20, 23, 29, 32, 33 and 750

Galvanised

● **Additional information**

- Ladder + installation set 1 = wall ladder to the side
- Ladder + installation set 2 = wall ladder to the barge
- Ladder + installation set 3 = roof ladder
- Ladder + inst. set Classic 3 = roof ladder Classic
- Ladder + installation set 4 = safety ladder

● **Contact information**

Sales

Tel. +358 (0)20 59 127

Fax +358 (0)20 592 7700


Rautaruukki Oyj

www.ruukki.com

The information given on this data sheet has been carefully checked. Rautaruukki Corporation does not, however, assume any responsibility for errors or omissions, or any direct or indirect damage caused by incorrect application of the information. Right to changes reserved.

Copyright © 2005 Rautaruukki Corporation. All rights reserved.

Ruukki, More With Metals, Rautaruukki and Ruukki's product names are either trademarks or registered trademarks of Rautaruukki Corporation.



● **Product**

Name	Ladder
e-code	TAPT36
Length	3600 mm
Unit	pcs
Weight/unit	10,0 kg/pcs

● **Material**

Steel

● **Coatings and colours**

Powder painted 11, 20, 23, 29, 32, 33 and 750

Galvanised

● **Additional information**

- Ladder + installation set 1 = wall ladder to the side
- Ladder + installation set 2 = wall ladder to the barge
- Ladder + installation set 3 = roof ladder
- Ladder + inst. set Classic 3 = roof ladder Classic
- Ladder + installation set 4 = safety ladder

● **Contact information**

Sales

Tel. +358 (0)20 59 127

Fax +358 (0)20 592 7700


Rautaruukki Oyj

www.ruukki.com

The information given on this data sheet has been carefully checked. Rautaruukki Corporation does not, however, assume any responsibility for errors or omissions, or any direct or indirect damage caused by incorrect application of the information. Right to changes reserved.

Copyright © 2005 Rautaruukki Corporation. All rights reserved.

Ruukki, More With Metals, Rautaruukki and Ruukki's product names are either trademarks or registered trademarks of Rautaruukki Corporation.



● **Product**

Name	Ladder
e-code	TAPT42
Length	4200 mm
Unit	pcs
Weight/unit	17,0 kg/pcs

● **Material**

Steel

● **Coatings and colours**

Powder painted 11, 20, 23, 29, 32, 33 and 750

Galvanised

● **Additional information**

- Ladder + installation set 1 = wall ladder to the side
- Ladder + installation set 2 = wall ladder to the barge
- Ladder + installation set 3 = roof ladder
- Ladder + inst. set Classic 3 = roof ladder Classic
- Ladder + installation set 4 = safety ladder

● **Contact information**

Sales

Tel. +358 (0)20 59 127

Fax +358 (0)20 592 7700

Rautaruukki Oyj

www.ruukki.com

The information given on this data sheet has been carefully checked. Rautaruukki Corporation does not, however, assume any responsibility for errors or omissions, or any direct or indirect damage caused by incorrect application of the information. Right to changes reserved.

Copyright © 2005 Rautaruukki Corporation. All rights reserved.

Ruukki, More With Metals, Rautaruukki and Ruukki's product names are either trademarks or registered trademarks of Rautaruukki Corporation.



● **Product**

Name	Installation set 1
e-code	TAPTAS1
Unit	pcs
Weight/unit	13,2 kg/pcs
Contain	4 x foot (1.0 m) 4 x foots fixing part 2 x upper arch 2 x L-fastener 2 x sealing for L-fastener 2 x U-fastener 2 x eave support 10 x screw M8 x 25 mm + nut 8 x screw M8 x 40 mm + nut 2 x screw M8 x 30 mm + nut 12 x screw M7 x 50 mm

● **Coatings and colours**

Powder painted 11, 20, 23, 29, 32, 33 and 750

Galvanised

● **Additional information**

Ladder + installation set 1 = wall ladder to the side

● **Material**

Steel

● **Contact information**

Sales

Tel. +358 (0)20 59 127

Fax +358 (0)20 592 7700

Rautaruukki Oyj

www.ruukki.com

The information given on this data sheet has been carefully checked. Rautaruukki Corporation does not, however, assume any responsibility for errors or omissions, or any direct or indirect damage caused by incorrect application of the information. Right to changes reserved.

Copyright © 2005 Rautaruukki Corporation. All rights reserved.

Ruukki, More With Metals, Rautaruukki and Ruukki's product names are either trademarks or registered trademarks of Rautaruukki Corporation.



● **Product**

Name Installation set 2
 e-code TAPTAS2
 Unit pcs
 Weight/unit 15,6 kg/pcs

Contain 6 x foot (0.75 m)
 6 x foots fixing parti
 2 x upper arch
 2 x L-fastener
 2 x sealing for L-fastener
 2 x U-fastener
 2 x eave support
 14 x screw M8 x 25 mm + nut
 10 x screw M8 x 40 mm + nut
 2 x screw M8 x 30 mm + nut
 16 x screw M7 x 50 mm

● **Material**

Steel

● **Coatings and colours**

Powder painted 11, 20, 23, 29, 32, 33 and 750

Galvanised

● **Additional information**

Ladder + installation set 2 = wall ladder to the barge

● **Contact information**

Sales

Tel. +358 (0)20 59 127

Fax +358 (0)20 592 7700

Rautaruukki Oyj

www.ruukki.com

The information given on this data sheet has been carefully checked. Rautaruukki Corporation does not, however, assume any responsibility for errors or omissions, or any direct or indirect damage caused by incorrect application of the information. Right to changes reserved.

Copyright © 2005 Rautaruukki Corporation. All rights reserved.

Ruukki, More With Metals, Rautaruukki and Ruukki's product names are either trademarks or registered trademarks of Rautaruukki Corporation.



● **Product**

Name Installation set 3
e-code TAPTAS3
Unit pcs
Weight/unit 1,9 kg/pcs

Contain 6 x plastic foot
4 x heightening foot
6 x screw M5 x 60 mm
4 x screw M7 x 50 mm
4 x screw M8 x 20 mm + nut
2 x screw M8 x 40 mm + nut
4 x sealing

● **Material**

Steel / plastic

● **Coatings and colours**

Powder painted 11, 20, 23, 29, 32, 33 and 750

Galvanised

● **Additional information**

Ladder + installation set 3 = roof ladder

● **Contact information**

Sales

Tel. +358 (0)20 59 127

Fax +358 (0)20 592 7700

Rautaruukki Oyj

www.ruukki.com

The information given on this data sheet has been carefully checked. Rautaruukki Corporation does not, however, assume any responsibility for errors or omissions, or any direct or indirect damage caused by incorrect application of the information. Right to changes reserved.

Copyright © 2005 Rautaruukki Corporation. All rights reserved.

Ruukki, More With Metals, Rautaruukki and Ruukki's product names are either trademarks or registered trademarks of Rautaruukki Corporation.

● **Product**

Name Installation set 3 Classic
e-code CLPTAS3
Unit pcs
Weight/unit 1,8 kg/pcs

Contain 8 x plastic foot
8 x plastic foot screw M5 x 60 mm
2 x Classic center fixing
2 x counterpart (SK-Classic)
4 x U-bolt
8 x lock screw M8 x 40 mm
2 x hex screw M8 x 20 mm
18 x nut M8

● **Material**

Steel / plastic

● **Coatings and colours**

Powder painted 11, 23, 29, 32, 33 and 750

● **Additional information**

Ladder + inst. set Classic 3 = roof ladder Classic

Note. One installation set is for roof ladder up to 6 m.

● **Contact information**

Sales

Tel. +358 (0)20 59 127

Fax 020 592 7700

Rautaruukki Oyj

www.ruukki.com

The information given on this data sheet has been carefully checked. Rautaruukki Corporation does not, however, assume any responsibility for errors or omissions, or any direct or indirect damage caused by incorrect application of the information. Right to changes reserved.

Copyright © 2005 Rautaruukki Corporation. All rights reserved.

Ruukki, More With Metals, Rautaruukki and Ruukki's product names are either trademarks or registered trademarks of Rautaruukki Corporation.



● **Product**

Name Installation set 4
e-code TAPTAS4
Unit pcs
Weight/unit 3,1 kg/pcs

Contain 2 x upper arch
2 x foots fixing part
2 x foot
2 x screw M8 x 20 mm
4 x screw M8 x 40 mm
4 x screw M7 x 50 mm

● **Material**

Steel

● **Coatings and colours**

Powder painted 11, 20, 23, 29, 32, 33 and 750

Galvanised

● **Additional information**

Ladder + installation set 4 = safety ladder

● **Contact information**

Sales

Tel. +358 (0)20 59 127

Fax +358 (0)20 592 7700

Rautaruukki Oyj

www.ruukki.com

The information given on this data sheet has been carefully checked. Rautaruukki Corporation does not, however, assume any responsibility for errors or omissions, or any direct or indirect damage caused by incorrect application of the information. Right to changes reserved.

Copyright © 2005 Rautaruukki Corporation. All rights reserved.

Ruukki, More With Metals, Rautaruukki and Ruukki's product names are either trademarks or registered trademarks of Rautaruukki Corporation.



● **Product**

Name Evacuation pipe foot + fixings
e-code TAPTLEPJ
Foot length 175 mm
Unit pcs
Weight/unit 0,5 kg/pcs

Contain 1 x evacuation pipe foot
1 x hex screw M8 x 30 mm + nut
2 x screw M7 x 50 mm

● **Material**

Steel

● **Coatings and colours**

Powder painted 20

● **Contact information**

Sales

Tel. +358 (0)20 59 127

Fax +358 (0)20 592 7700

Rautaruukki Oyj

www.ruukki.com

The information given on this data sheet has been carefully checked. Rautaruukki Corporation does not, however, assume any responsibility for errors or omissions, or any direct or indirect damage caused by incorrect application of the information. Right to changes reserved.

Copyright © 2005 Rautaruukki Corporation. All rights reserved.

Ruukki, More With Metals, Rautaruukki and Ruukki's product names are either trademarks or registered trademarks of Rautaruukki Corporation.



● **Product**

Name	Evacuation pipe
e-code	TAPTLEP
Length	1500 mm
Unit	pcs
Weight/unit	3,5 kg/pcs

● **Coatings and colours**

Powder painted	20
----------------	----

● **Material**

Steel

● **Contact information**

Sales

Tel. +358 (0)20 59 127

Fax +358 (0)20 592 7700

Rautaruukki Oyj

www.ruukki.com

The information given on this data sheet has been carefully checked. Rautaruukki Corporation does not, however, assume any responsibility for errors or omissions, or any direct or indirect damage caused by incorrect application of the information. Right to changes reserved.

Copyright © 2005 Rautaruukki Corporation. All rights reserved.

Ruukki, More With Metals, Rautaruukki and Ruukki's product names are either trademarks or registered trademarks of Rautaruukki Corporation.